EduSahara™ Learning Center Assignment

Grade: Class X, ICSE

Chapter: Tangent Properties of Circles
Name: Circles - Tangent Properties

1. If 'l' is the length of the tangent drawn to a circle with radius 'r' from point 'P' which is 'd' cm away from the centre, then

(i)
$$l = \sqrt{(d^2 - r^2)}$$

(ii)
$$r = \sqrt{(l^2 + d^2)}$$

(iii)
$$d = \sqrt{(l^2 + r^2)}$$

(iv)
$$d = \sqrt{(l^2 - r^2)}$$

(v)
$$l = \sqrt{(d^2 + r^2)}$$

2. Two circles with radii R and r touch internally. If the distance between their centres is d, then

(i)
$$d < R + r$$
 (ii) $d > R - r$ (iii) $d = R - r$ (iv) $d < R - r$ (v) $d = R + r$

The distance between the centres of two circles is d.

3. If the radii are r_1 and r_2 , the length of their transverse common tangent is

(i)
$$\sqrt{d^2 - (r_1 - r_2)^2}$$

(ii)
$$\sqrt{d^2 + (r_1 - r_2)^2}$$

(iii)
$$\sqrt{d^2 - (r_1 + r_2)^2}$$

(iv) None of these

(v)
$$\sqrt{d^2 + (r_1 + r_2)^2}$$

The distance between the centres of two circles is d.

4. If the radii are r_1 and r_2 , the length of their direct common tangent is

(i)
$$\sqrt{d^2 - (r_1 - r_2)^2}$$

(ii)
$$\sqrt{d^2 - (r_1 + r_2)^2}$$


(iii)
$$\sqrt{d^{2+}(r-r)^{2}}$$

1 2

(iv) None of these


(v)
$$\sqrt{d^2 + (r_1 + r_2)^2}$$

- 5. Two circles with equal radii are
 - (i) not similar
 - (ii) concentric
 - (iii) only similar but not congruent
 - (iv) congruent
- 6. The angle between a tangent to a circle and the radius drawn at the point of contact is
 - (i) 95° (ii) 100° (iii) 105° (iv) 90° (v) 120°
- 7. If two circles of radii 8 cm and 2 cm touch internally, the distance between their centres is
 - (i) 4 cm (ii) 7 cm (iii) 5 cm (iv) 8 cm (v) 6 cm
- 8. If two circles of radii 12 cm and 5 cm touch externally, the distance between their centres is
 - (i) 17 cm (ii) 19 cm (iii) 18 cm (iv) 15 cm (v) 16 cm
- 9. If two circles touch internally, the number of their common tangents is
 - (i) 2 (ii) 0 (iii) 3 (iv) (-2) (v) 1
- 10. If two circles intersect, the number of their common tangents is
 - (i) 1 (ii) 3 (iii) 2 (iv) 4 (v) 0
- 11. If two circles touch externally, the number of their common tangents is
 - (i) 5 (ii) 2 (iii) 3 (iv) 0 (v) 4
- In the given figure, O is the centre of the circle and GH is the tangent at D. If \angle EDF = 55° and \angle GDE = 101°, find \angle DFE




(i) 51° (ii) 76° (iii) 46° (iv) 56° (v) 61°

13. In the given figure, O is the centre of the circle and MN is the tangent at J. If \angle KJL = 40° and \angle MJK = 40°, find \angle LJN




(i) 100° (ii) 110° (iii) 115° (iv) 130° (v) 105°

14. In the given figure, O is the centre of the circle and DF is the tangent at E . If \angle CBE = 27°, find \angle CDE




(i) 66° (ii) 36° (iii) 41° (iv) 46° (v) 51°

15. In the given figure, O is the centre of the circle and DF is the tangent at E. If \angle CBE = 25°, find \angle CDE + \angle CED




(i) 75° (ii) 65° (iii) 80° (iv) 95° (v) 70°

16. In the given figure, O is the centre of the circle and FG is the tangent at B. If ∠BED = 42°, find ∠BCD




(i) 143° (ii) 153° (iii) 148° (iv) 168° (v) 138°

17. In the given figure, O is the centre of the circle and LM is the tangent at H. If \angle HKJ = 53°, find \angle MHJ




(i) 53° (ii) 68° (iii) 58° (iv) 83° (v) 63°

18. In the given figure, O is the centre of the circle and DE is the tangent at A. If $\angle CAB = 52^{\circ}$ and $\angle BAE = 32^{\circ}$, find $\angle CBA$




(i) 101° (ii) 111° (iii) 96° (iv) 126° (v) 106°

19. In the given figure, O is the centre of the circle and IJ is the tangent at H. If \angle HGF = 47°, find \angle JHF




(i) 57° (ii) 47° (iii) 77° (iv) 52° (v) 62°

20. In the given figure, O is the centre of the circle and EF is the tangent at D. If \angle DBC = 50°, find \angle EDC




(i) 50° (ii) 55° (iii) 65° (iv) 60° (v) 80°

In the given figure, O is the centre of the circle and HI is the tangent at G. If \angle FDG = 38° and \angle DFE = 63°, find \angle IGD




(i) 62° (ii) 67° (iii) 82° (iv) 52° (v) 57°

22. In the given figure, O is the centre of the circle and LM is the tangent at K. If \angle JHK = 31° and \angle HJI = 44°, find \angle JHI




(i) 46° (ii) 61° (iii) 56° (iv) 51° (v) 76°

23. In the given figure, O is the centre of the circle and JK is the tangent at I. If \angle HFI = 56° and \angle FHG = 60°, find \angle JIH




(i) 56° (ii) 86° (iii) 61° (iv) 71° (v) 66°

24. In the given figure, O is the centre of the circle and HI is the tangent at E. If \angle OFE = 33°, find \angle IEF




(i) 57° (ii) 87° (iii) 62° (iv) 67° (v) 72°

25. In the given figure, O is the centre of the circle and the tangents FI and HI meet at point I. If \angle GHF = 59°, find \angle FOH




(i) 123° (ii) 148° (iii) 133° (iv) 118° (v) 128°

26. In the given figure, O is the centre of the circle and the tangents BE and DE meet at point E. If \angle CDB = 49°, find \angle DEB



(i) 92° (ii) 82° (iii) 112° (iv) 97° (v) 87°

27. In the given figure, O is the centre of the circle and FH is the tangent at G. If \angle GHI = 45°, \angle HGI = 34°, find \angle KGF



(i) 109° (ii) 89° (iii) 79° (iv) 84° (v) 94°

28. Which of the following statements are true?


- a) An infinite number of chords may be drawn for a circle
- b) One and only one tangent can be drawn to a circle from a point outside it
- c) An infinite number of diameters may be drawn for a circle
- d) Every circle has a unique diameter
- e) Two semi-circles of a circle together make the whole circle
- (i) {d,c} (ii) {a,c,e} (iii) {b,a,c} (iv) {b,a} (v) {b,d,e}

29. Which of the following statements are true?

- a) One and only one tangent can be drawn to a circle from a point outside it
- b) Diameter of a circle is a part of the semi-circle of the circle
- c) Every circle has a unique diameter
- d) One and only one tangent can be drawn to pass through a point on a circle
- e) A secant of a circle is a segment having its end points on the circle
- (i) {c,d} (ii) {e,a,b} (iii) {c,d,b} (iv) {a,b} (v) {b,d}


30. O is the centre of the circumcircle of \triangle EFG. Tangents at E and F intersect at H. If ∠EHF = 59.83° and ∠EOG =

120°, find ∠GEF



(i) 59.91° (ii) 69.91° (iii) 74.91° (iv) 64.91° (v) 89.91°

31. O is the centre of the circumcircle of \triangle CDE. Tangents at C and E intersect at F. If \angle CFE = 39.53°, find \angle EDC



- (i) 100.23° (ii) 75.23° (iii) 85.23° (iv) 70.23° (v) 80.23°
- 32. A line which intersects the circle at two distinct points is called a
 - (i) major segment (ii) quadrant (iii) radius (iv) secant (v) segment
- 33. A line which touches a circle at only one point is called a
 - (i) radius (ii) centre (iii) semi-circle (iv) tangent (v) circumference
- 34. If the two radii OP and OQ of a circle are at right angles to each other, then the sector OPQ is called a
 - (i) secant (ii) chord (iii) tangent (iv) radius (v) quadrant
- 35. Which of the following statements are true?
 - a) Atmost one common tangent can be drawn for any two concentric circles
 - b) Atmost two common tangents can be drawn touching any two circles
 - c) A maximum of four common tangents can be drawn touching any two circles
 - d) Atmost three common tangents can be drawn touching two circles which touch each other
 - (i) {b,d} (ii) {c,d} (iii) {a,c} (iv) {a,b,c} (v) {a,d,c}
- 36. Which of the following statements are true?
 - a) A secant has two end points
 - b) A radius is a limiting case of a diameter

- c) A secant and a chord are same
- d) A diameter is a limiting case of a chord
- e) A tangent is the limiting case of a secant
- (i) {d,e} (ii) {b,e} (iii) {b,e,d} (iv) {c,a,d} (v) {a,d}

37. Which of the following statements are true?

- a) Only two tangents can be drawn from a point outside the circle
- b) The sides of a triangle can be tangents to a circle
- c) Only one tangent can be drawn through a point on a circle
- d) Atmost one tangent can be drawn through a point inside the circle
- e) Two tangents to a circle always intersect
- (i) {a,b,c} (ii) {d,a} (iii) {d,a,b} (iv) {d,e,c} (v) {e,b}

38. Which of the following statements are true?

- a) If two tangents to a circle intersect, their points of contact with the circle together with their point of intersection form an isosceles triangle
- b) If two tangents are parallel, the distance between them is equal to the diameter of the circle
- c) A line parallel to a tangent is a secant
- d) If two tangents are perpendicular, they form a right angled triangle with their points of contact with the circle and their point of intersection
- e) Two different tangents can meet at a point on the circle
- (i) $\{a,b,d\}$ (ii) $\{c,a\}$ (iii) $\{e,b\}$ (iv) $\{c,e,d\}$ (v) $\{c,a,b\}$

39. Which of the following statements are true?

- a) If two circles touch each other externally, there is only one common tangent
- b) There exists four common tangents for any two non-intersecting circles
- c) If two circles intersect, then two common tangents can be drawn
- d) If two circles touch each other internally, there is only one common tangent
- (i) $\{a,b,c\}$ (ii) $\{a,b\}$ (iii) $\{a,d\}$ (iv) $\{b,c,d\}$ (v) $\{a,c\}$

40. Which of the following statements are true?

- a) If two circles touch externally, the square of the distance between their centres is the sum of the squares of their radii
- b) If two circles touch externally, the distance between their centres is the sum of their radii
- c) If two circles touch internally, the distance between their centres is the difference of their radii
- d) If two circles touch externally, their centres and the point of contact form an isosceles triangle
- e) If two circles touch internally, their centres and the point of contact form a scalene triangle
- f) If two circles touch internally, the square of the distance between their centres is the difference of the squares of their radii
- (i) {e,f,b} (ii) {a,b} (iii) {b,c} (iv) {d,c} (v) {a,c,b}
- 41. Two circles are of radii 3 cm and 6 cm. If the distance between their centres is 14 cm, what is the length of their direct common tangent?
 - (i) 14.67 cm (ii) 12.67 cm (iii) 15.67 cm (iv) 11.67 cm (v) 13.67 cm
- Two circles are of radii 3 cm and 3 cm. If the distance between their centres is 10 cm, what is the length of their transverse common tangent?
 - (i)
- (ii)
- (iii)
- (iv)
- (v)

6.00 cm


7.00 cm

8.00 cm

9.00 cm


10.00 cm

In the given figure, FGHI is a cyclic quadrilateral such that HF bisects \angle IFG and JK is the tangent at H. If \angle HFG = 58°, find \angle JHG




(i) 73° (ii) 63° (iii) 58° (iv) 88° (v) 68°

44. In the given figure, O is the centre of the circle and GI is the tangent at H. If ∠HIJ = 45°,∠IHJ = 33°, find ∠KHJ




(i) 99° (ii) 69° (iii) 79° (iv) 74° (v) 84°

45. In the given figure, CA and CB are tangent segments to the circle with centre O. Given \angle BCD = 22°, find \angle ABO



(i) 27° (ii) 32° (iii) 22° (iv) 52° (v) 37°

46. In the given figure, EC and ED are tangent segments to the circle with centre O. Given \angle DEF = 37°, find \angle CDF




(i) 36.5° (ii) 41.5° (iii) 56.5° (iv) 26.5° (v) 31.5°

With the vertices of a triangle \triangle IJK as centres, three circles are drawn touching each other externally. If the sides of the triangle are 9 cm , 16 cm and 13 cm , find the radii of the circles


- (i) 3 cm, 6 cm & 10 cm respectively
- (ii) 8 cm, 6 cm & 10 cm respectively
- (iii) 8 cm, 11 cm & 15 cm respectively
- (iv) 3 cm, 11 cm & 10 cm respectively
- (v) 3 cm, 6 cm & 15 cm respectively

48. O is the centre of the circle. CD and ED are tangents to the circle. If \angle EFC = 30.5°, find \angle CDE




(i) 129° (ii) 119° (iii) 124° (iv) 134° (v) 149°

49. In the given figure, DE and FG are parallel tangents to the circle with centre O. DG is another tangent meeting DE and FG at D and G. Find \angle DOG




(i) 120° (ii) 95° (iii) 100° (iv) 105° (v) 90°

50. In the given figure, FI is the common tangent to the two circles. FG & FH are also tangents. Given FG = 15 cm, find FH




(i) 16 cm (ii) 14 cm (iii) 15 cm (iv) 17 cm (v) 13 cm

DE is a line segment and G is its mid-point. Three semi-circles are drawn with DG , GE and DE as diameters. F , $51. \, \text{H}$ and G respectively are the centres of these semi-circles. A new circle is drawn touching these three semi-circles. Find its radius, given DF = $6 \, \text{cm}$




(i) 2.00 cm (ii) 5.00 cm (iii) 4.00 cm (iv) 6.00 cm (v) 3.00 cm

In the given figure, two circles intersect at points F & G. A tangent is drawn at point H. From the same point, two 52. lines are drawn passing through points F & G. They meet the other end of the second circle at E & D. Given \angle H = 53°, find \angle DEF




(i) 68° (ii) 83° (iii) 63° (iv) 53° (v) 58°

In the given figure, two circles intersect at points F & G. A tangent is drawn at point H. From the same point, two 53. lines are drawn passing through points F & G. They meet the other end of the second circle at E & D. Given \angle H = 77°, find \angle EDG




(i) 77° (ii) 107° (iii) 82° (iv) 87° (v) 92°

In the given figure, two circles intersect at points J & K. A tangent is drawn at point L. From the same point, two 54. lines are drawn passing through points J & K. They meet the other end of the second circle at I & H. Given $\angle L = 62^{\circ}$, find $\angle HKJ$




(i) 118° (ii) 133° (iii) 148° (iv) 128° (v) 123°

In the given figure, two circles intersect at points D & E. A tangent is drawn at point F. From the same point, two 55. lines are drawn passing through points D & E. They meet the other end of the second circle at C & B. Given \angle F = 82°, find \angle CDE




(i) 108° (ii) 128° (iii) 113° (iv) 98° (v) 103°

56. In the given figure, FS & GS are tangents to the circle with centre O. Given \angle F = 24°, find \angle S




(i) 58° (ii) 53° (iii) 48° (iv) 63° (v) 78°

 $57. \frac{1}{BR}$ In the given figure, BR & CR are tangents to the circle with centre O. Given OB = 10 cm and BC = 18 cm, find BR



(i) 21.65 cm (ii) 19.65 cm (iii) 20.65 cm (iv) 22.65 cm (v) 18.65 cm

58. In the given figure, ER & FR are tangents to the circle with centre O. Given \angle EOF = 131°, find \angle ERF



(i) 54° (ii) 64° (iii) 79° (iv) 59° (v) 49°

Assignment Key

- 1) (iii)
- 2) (iii)
- 3) (iii)
- 4) (i)
- 5) (iv)
- 6) (iv)
- 7) (v)
- 8) (i)
- 9) (v)
- 10) (iii)
- 11) (iii)
- 12) (iii)
- 13) (i)
- 14) (ii)
- 15) (ii)
- 16) (v)
- 17) (i)
- 18) (iii)
- 19) (ii)
- 20) (i)
- 21) (iv)
- 22) (i)
- 23) (i)
- 24) (i)
- 25) (iv)
- 26) (ii)
- 27) (iii)
- 28) (ii)
- 29) (v)
- 30) (i)
- 31) (iv)
- 32) (iv)
- 33) (iv)
- 34) (v)
- 35) (ii)
- 36) (i)
- 37) (i)
- 38) (i)
- 39) (iv)
- 40) (iii)
- 41) (v)
- 42) (iii)
- 43) (iii)
- 44) (ii)
- 45) (iii)
- 46) (iv)
- 47) (i)
- 48) (ii)
- 49) (v)
- 50) (iii)
- 51) (iii)
- 52) (iv)
- 53) (i)
- 54) (i)
- 55) (iv)

- 56) (iii)
- 57) (iii) 58) (v)