

EduSahara™ Learning Center Assignment

Grade : Class VII, ICSE

Chapter : Average

Name : Average

Licensed To : Teachers and Students for non-commercial use

1. The arithmetic mean of 41, 22, 29, 40, 20, 38, 8 is

(i) 27.29 (ii) 28.29 (iii) 29.29 (iv) 30.29 (v) 26.29

2. If the mean of 5 samples is 32,
what is the new mean if 3 is added to each number.

(i) 34 (ii) 36 (iii) 37 (iv) 35 (v) 33

3. If the mean of 8 samples is $24\frac{3}{4}$,
what is the new mean if 6 is subtracted from each number.

(i) $\frac{75}{4}$ (ii) $\frac{37}{2}$ (iii) $\frac{39}{2}$ (iv) $\frac{77}{4}$ (v) $\frac{73}{4}$

4. If the mean of 7 samples is 14,
what is the new mean if each number is multiplied by 10.

(i) 141 (ii) 138 (iii) 143 (iv) 139 (v) 140

5. The mean of 6 numbers is $10\frac{1}{6}$. Upon excluding one number,
the mean becomes 10. Find the excluded number.

(i) 12 (ii) 11 (iii) 14 (iv) 10 (v) 8

6. The mean of 6 numbers is $9\frac{5}{6}$. Upon adding one number,
the mean becomes $11\frac{2}{7}$. Find the included number.

(i) 17 (ii) 22 (iii) 20 (iv) 21 (v) 19

Temperatures of 10 days are given below. Find the mean.

7.	Temperature (in degree C)	26	27	29	30	31	33	34	35
	No. of days	2	2	1	1	1	1	1	1

- (i) 30°C (ii) $\frac{159}{5}^{\circ}\text{C}$ (iii) $\frac{149}{5}^{\circ}\text{C}$ (iv) $\frac{151}{5}^{\circ}\text{C}$ (v) $\frac{154}{5}^{\circ}\text{C}$
-

8. Given the mean of 7 samples as $13\frac{1}{7}$,
what is the mean if a sample value is increased by 17 ?

- (i) $\frac{107}{7}$ (ii) $\frac{139}{9}$ (iii) $\frac{111}{7}$ (iv) $\frac{79}{5}$ (v) $\frac{109}{7}$
-

9. Given the mean of 13 samples as $10\frac{12}{13}$,
what is the mean if a sample value is decreased by 17 ?

- (i) $\frac{125}{13}$ (ii) $\frac{123}{13}$ (iii) $\frac{127}{13}$ (iv) $\frac{107}{11}$ (v) $\frac{143}{15}$
-

10. Given the mean of 10 samples as $5\frac{1}{2}$,
what is the new mean if two samples 7 and 4 are added ?

- (i) $\frac{11}{2}$ (ii) $\frac{13}{2}$ (iii) $\frac{9}{2}$ (iv) 6 (v) $\frac{21}{4}$
-

11. Given the mean of 12 samples as $5\frac{1}{12}$,
what is the new mean if two samples 3 and 8 are removed ?

- (i) 7 (ii) 4 (iii) 5 (iv) 2 (v) 6
-

12. Find the mean of all prime numbers between 10 and 80 .

- (i) 46 (ii) 44 (iii) 43 (iv) 42 (v) 40
-

13. Find the mean of all prime numbers between 30 and 60 .

- (i) $\frac{313}{7}$ (ii) $\frac{223}{5}$ (iii) $\frac{309}{7}$ (iv) $\frac{311}{7}$ (v) $\frac{133}{3}$
-

14. Find the mean of first 7 multiples of 6 .

- (i) 23 (ii) 25 (iii) 27 (iv) 24 (v) 22
-

15. Find the mean of first 7 whole numbers.

- (i) 3 (ii) 2 (iii) 0 (iv) 5 (v) 4
-

16. Find the mean of first 10 multiples of 4 .

(i) 21 (ii) 20 (iii) 22 (iv) 25 (v) 23

17. Find the mean of the first 20 odd numbers.

(i) 18 (ii) 20 (iii) 22 (iv) 19 (v) 21

18. Find the mean of the first 10 even numbers.

(i) 12 (ii) 9 (iii) 11 (iv) 13 (v) 10

Assignment Key

- 1) (ii)
- 2) (iv)
- 3) (i)
- 4) (v)
- 5) (ii)
- 6) (iii)
- 7) (iii)
- 8) (v)
- 9) (i)
- 10) (i)
- 11) (iii)
- 12) (iii)
- 13) (iv)
- 14) (iv)
- 15) (i)
- 16) (iii)
- 17) (ii)
- 18) (iii)